

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S54	2	"20010042058"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 12:24
S55	23	(US-20050091469-\$ or US-20040128470-\$ or US-20050015554-\$ or US-20020166064-\$ or US-20030001900-\$ or US-20020073236-\$ or US-20050050294-\$ or US-20050195812-\$ or US-20050015546-\$ or US-20030033276-\$ or US-20030037055-\$).did. or (US-5136580-\$ or US-6473846-\$ or US-5414704-\$ or US-6477632-\$ or US-6516320-\$ or US-5897637-\$ or US-5621727-\$ or US-5687361-\$ or US-6889225-\$ or US-5530958-\$).did. or (US-20010042058-\$).did. or (NB9206179).tban.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/25 13:23
S56	6	S55 and (LBA or LUN or (logical adj (unit or block) adj (unit or number)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:14
S58	2	"20050015567"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:16
S57	2	"20050015566"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:16
S3	3	("6292880" or "4064494" or "20030001900").pn.	US-PGPUB; USPAT	OR	ON	2006/05/25 14:27

## EAST Search History

S62	56	S61 and (hash\$3 near4 (function or functionality or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:30
S61	2438	S60 and (table or column or row)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:30
S60	3309	S59 and (LBA or LUN or (logic\$2 adj (block or unit) adj (address or number)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:30
S63	2	Content adj address\$4 with (memory or storage) and (counter and (LBA or LUN or location or (logic\$2 adj (block or unit) adj (unit or address))))	IBM_TDB	OR	ON	2006/05/25 14:37
S66	10	S65 and (hash and rehash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:38
S65	6946	((711/112,216,159,206,220,221) or (710/3,5) or (707/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 14:38
S64	56	S61 and (hash\$3 near4 (function or functionality or algorithm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:38
S68	56	S67 and (hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:39

## EAST Search History

S67	418	((OID or (object near (identif\$3 or identification)))) same (counter or count)) same (table or row or entry or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:39
S43	168	S41 and (hash\$3 with (valid or validat\$3 or verif\$4) same (read or write))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/25 14:39
S59	1030663	(CAS or ((content adj3 address\$4) with (memory or storage)))	US-PGPUB; USPAT	OR	ON	2006/05/25 15:51
S69	10	((CAS or ((content adj3 address\$4) with (memory or storage))) and (LBA or LUN or (logic\$2 adj (block or unit) adj (address or number))))).CLM.	US-PGPUB; USPAT	OR	ON	2006/05/25 16:06
S70	1	S69 and (OID or (object adj ident\$5) or (object adj id)).CLM.	US-PGPUB; USPAT	OR	ON	2006/05/25 16:09